

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

MXDA

Substance name m-phenylenebis(methylamine)
REACH registration no. 01-2119480150-50-0000

Identification numbers

CAS no. 1477-55-0
EC no. 216-032-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Industrial production of epoxy hardeners
industrial polymer production
Use of adhesives, coatings and composites in the construction industry
Use as intermediate

Uses advised against

Consumer use

Reference to relevant exposure scenarios

For an overview of the exact titles of the relevant exposure scenarios please refer to section 16 of this SDS.

1.3 Details of the supplier of the safety data sheet

Address

mitsubishi gas chemical company, inc.
mitsubishi Building,
2-5-2 Marunouchi, Chiyoda-ku,
100-8324 Tokyo, Japan

Telephone no. +81-3-3283-4754
Fax no. +81-3-3214-0938

Advice on Safety Data Sheet

sdb_info@umco.de

Only representative according to art. 8 Regulation (EC) 1907/2006

Address

Mitsubishi Gas Chemical Europe GmbH
Immermannstraße 13
40210 Düsseldorf

Telephone no. +49 (0) 211-363 080
Fax no. +49 (0) 211-354 457

1.4 Emergency telephone number

For medical advice (in German and English):
+49 (0)551 192 40 (Gif tinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H302
Acute Tox. 4; H332
Aquatic Chronic 3; H412
Skin Corr. 1B; H314
Skin Sens. 1B; H317

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3 and 4 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Product identifier

1477-55-0 (m-phenylenebis(methylamine))

Hazard pictograms



GHS05



GHS07

Signal word

Danger

Hazard statements

H302+H332

Harmful if swallowed or if inhaled

H314

Causes severe skin burns and eye damage.

H317

May cause an allergic skin reaction.

H412

Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH071

Corrosive to the respiratory tract.

Precautionary statements

P260

Do not breathe vapours/spray.

P273

Avoid release to the environment.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterization

Substance name m-phenylenebis(methylamine)

Identification numbers

CAS no. 1477-55-0

EC no. 216-032-5

3.2 Mixtures

Not applicable. The product is not a mixture.

3.3 Other information

Mono-constituent-substance

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

Chemical purity:
>= 99.92 to <= 99.99 % (w/w)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Seek medical advice immediately. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

After skin contact

Wash off immediately with soap and water. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Call a doctor immediately and show label or packaging. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Nitrogen oxides (NO_x); Corrosive gases/vapours

5.3 Advice for firefighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When picked up, treat material as prescribed under heading "Disposal considerations".

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far as it is possible by the state of the art. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work. Provide eye wash fountain in work area. Have emergency shower available. Do not inhale vapours.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools. Take precautionary measures against static charges.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original one.

Advice on storage assembly

Do not store together with: Acids; Oxidizing agents; Reducing agents; Do not store together with animal feedstocks. Do not store together with foodstuffs.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	m-phenylenebis(methylamine)			1477-55-0 216-032-5	
	dermal	Long term (chronic)	systemic	0.33	mg/kg
	inhalative	Long term (chronic)	systemic	1.2	mg/m ³
	inhalative	Long term (chronic)	local	0.2	mg/m ³

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

PNEC values

No	Substance name	CAS / EC no
	ecological compartment	Type
		Value
1	m-phenylenebis(methylamine)	1477-55-0 216-032-5
	water	fresh water
		0.094 mg/l
	water	marine water
		0.0094 mg/l
	water	Aqua intermittent
		0.152 mg/l
	water	fresh water sediment
		0.43 mg/kg
	with reference to: dry mass	
	water	marine water sediment
		0.043 mg/kg
	with reference to: dry mass	
	soil	-
		0.045 mg/kg
	with reference to: dry mass	
	sewage treatment plant	-
		10 mg/l

Other information

DNEL are not available

8.2 Exposure controls

Appropriate engineering controls

The substance is corrosive and a strict risk management is to be applied to prevent exposure of industrial or professional workers. Closed systems are required. Products containing the substance have to be dispensed via closed manual, battery operated or pneumatic devices.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator EN 3181

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Check in any case suitability of protective glove for the specific workplace conditions (e.g. mechanical resistance, product compatibility, antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves.

Appropriate Material	Polychloroprene		
Material thickness		0.5	mm
Breakthrough time	>=	480	min.
Appropriate Material	PVC		
Material thickness		0.5	mm
Breakthrough time	>=	480	min.
Appropriate Material	butyl rubber		
Material thickness		0.5	mm
Breakthrough time	>=	480	min.
Appropriate Material	Fluoro elastomer (FKM)		
Material thickness		0.4	mm
Breakthrough time	>=	480	min.
Appropriate Material	Natural rubber, NR		
Material thickness		0.5	mm
Breakthrough time	<	60	min.
Inappropriate material	nitrile rubber		
Inappropriate material	leather		
Inappropriate material	textile		

Other

Normal chemical work clothing. two components epoxy resins containing the substance have to be mixed carefully before use to ensure that the substance reacts and is not available after curing of the resin.

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
liquid	
colourless	
Odour	
amine-like	
Odour threshold	
No data available	
pH value	
Remarks	untreated liquid: appr. pH 13
Boiling point / boiling range	
Value	272 °C
Reference pressure	101.3 kPa
Method	OECD 103
Source	CSR
Melting point / melting range	
Value	14 °C
Method	OECD 102
Source	CSR
Decomposition point / decomposition range	
No data available	
Flash point	
Value	142 °C
Method	92/69/EEC, A.9
Source	CSR
Auto-ignition temperature	
Value	400 °C
Method	EEC A.15
Source	CSR
Oxidising properties	
not oxidizing	
Explosive properties	
The product does not have explosive properties.	
Flammability (solid, gas)	
No data available	
Lower flammability or explosive limits	
No data available	
Upper flammability or explosive limits	
No data available	
Vapour pressure	
Value	0.69 Pa
Reference temperature	25 °C
Method	OECD 104
Source	CSR

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

Vapour density
No data available

Evaporation rate
No data available

Relative density
No data available

Density		
Value	1050	kg/m ³
Reference temperature	20	°C
Method	OECD 109	
Source	CSR	

Solubility in water		
Value	1000	g/l
Reference temperature	20	°C
Method	OECD 105	
Source	CSR	
Remarks	Completely miscible	

Solubility(ies)
No data available

Partition coefficient: n-octanol/water			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
log Pow		0.18	
Reference temperature		25	°C
Method	OECD 107		
Source	CSR		

Viscosity		
Value	6.78	mm ² /s
Reference temperature	20	°C
Type	kinematic	
Method	OECD 114	
Source	CSR	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat

10.5 Incompatible materials

Acids; Oxidizing agents; Reducing agents

10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide; Nitrous oxides (NO_x); Toxic gases/vapours; Corrosive gases/vapours

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
LD50		930	mg/kg bodyweight
Species		rat	
Method		OECD 401	
Source		CSR	

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
LD50		3100	mg/kg bodyweight
Species		rat	
Method		OECD 402	
Source		CSR	

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
LC50		1.34	mg/l
Duration of exposure		4	h
State of aggregation		Dust/mist	
Species		rat	
Method		OECD 403	
Source		CSR	

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
Species		rat	
Method		EU B.4	
Source		CSR	
Evaluation		corrosive	

Serious eye damage/irritation			
No data available			

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
Route of exposure		Skin	
Species		mouse	
Method		OECD 429	
Source		CSR	
Evaluation		sensitizing	

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
Source		CSR	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
Source		CSR	
Evaluation/classification		Based on available data, the classification criteria are not met.	

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

Carcinogenicity	
No data available	

STOT-single exposure	
No data available	

STOT-repeated exposure			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
Route of exposure		inhalational	
NOAEC		5	mg/m ³
Species		rat	
Target organ		lungs	
Method		OECD 413	
Source		CSR	

Aspiration hazard	
No data available	

Delayed and immediate effects as well as chronic effects from short and long-term exposure	
Strong irritating effect on the respiratory tract and the lungs.	

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
LC50		87.6	mg/l
Duration of exposure		96	h
Species		Oryzias latipes	
Method		OECD 203	
Source		CSR	

Toxicity to fish (chronic)	
No data available	

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
EC50		15.2	mg/l
Duration of exposure		48	h
Species		Daphnia magna	
Method		OECD 202	
Source		CSR	

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
NOEC		4.7	mg/l
Duration of exposure		21	day(s)
Species		Daphnia magna	
Method		OECD 211	
Source		CSR	

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
EC50		20.3	mg/l
Duration of exposure		72	h
Species		Pseudokirchneriella subcapitata	
Method		OECD 201	
Source		CSR	

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
NOEC		10.5	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	CSR		

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
EC50	>	1000	mg/l
Duration of exposure		30	min
Species	activated sludge		
Method	OECD 209		
Source	CSR		

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
Value		49	%
Duration		28	day(s)
Method	OECD 301 B		
Source	CSR		
Evaluation	not readily biodegradable		

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water			
No	Substance name	CAS no.	EC no.
1	m-phenylenebis(methylamine)	1477-55-0	216-032-5
log Pow		0.18	
Reference temperature		25	°C
Method	OECD 107		
Source	CSR		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The product is not considered to be a PBT.
vPvB assessment	The product is not considered to be a vPvB.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Expulsion resins should be carefully collected to cure the resin completely before disposal.

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Packaging with residues of the substance have to be collected and incinerated at an approved facility.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	8
Classification code	C7
Packing group	II
Hazard identification no.	80
UN number	UN2735
Technical name	AMINES, LIQUID, CORROSIVE, N.O.S.
Danger releasing substance	m-phenylenebis(methylamine)
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
Packing group	II
UN number	UN2735
Proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S.
Danger releasing substance	m-phenylenebis(methylamine)
EmS	F-A+S-B
Label	8

14.3 Transport ICAO-TI / IATA

Class	8
Packing group	II
UN number	UN2735
Proper shipping name	Amines, liquid, corrosive, n.o.s.
Danger releasing substance	m-phenylenebis(methylamine)
Label	8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

In accordance with the Reach regulation (EC) 1907/2006, the product does not contain any substances that are considered as subject to listing in annex XIV, inventory of substances requiring authorisation.

REACH candidate list of substances of very high concern (SVHC) for authorisation

In accordance with article 57 and article 59 of the Reach regulation (EC) 1907/2006, this substance is not considered as subject to listing in annex XIV, inventory of substances requiring authorisation ("Authorization list").

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.

No 3

EC safety data sheet

Trade name: MXDA

Product no.: MGC-AC_OR-006

Current version : 2.0.0, issued: 12.12.2016

Replaced version: 1.1.1, issued: 06.05.2016

Region: GB

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This substance is not subject to Part I or 2 of Annex I

15.2 Chemical safety assessment

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.

H332 Harmful if inhaled.

List of existing exposition scenarios

ES001 Production of epoxy resins - industrial use

ES002 Polymer production - industrial use

ES003 Use of adhesives, coatings and composites - professional use

ES004 Use as intermediate - industrial use

Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.